



TAWASSUL A. KHAN
C.E.O.

NONLINEAR SEISMIC IMAGING, INC.

3200 Southwest Freeway • Suite 2340 • Houston, Texas 77027
713.552.2727 • Fax: 713.521.2873
email: tkhan@houston.rr.com

SENT VIA FACSIMILE 703/872-9318

September 18, 2002

Toan M. Le, Examiner
Box PATENT APPLICATION
Commissioner for Patents
Washington, DC 20231

FAX COPY RECEIVED
SEP 18 2002
TECHNOLOGY CENTER 2800

3/Response
P. Walker
9-20-02

RE: Application No. 09/853,190
Applicant Tawassul A. Khan (Inventor)
Titled - Mapping Permeable Reservoir Formations by Measuring the
Elastic Nonlinear Interactions of a Seismic Wave as it Propagates
through the Reservoir Rock Matrix and its Pore Fluids.

Dear Mr. Le:


Enclosed is the Reply to USPTO Office Action Summary of July 31, 2002 regarding Application No. 09/853,190.

The write-up has been submitted for the intent of making the patent clearer and the claims have been rewritten and modified to be more specific and to remove any ambiguity of these claims by taking out any 'general' terms. Please reconsider the revised claims; we believe we have reduced any uncertainty due to the generic nature of our previously written claims.

Further, we are resubmitting and rewriting the original claim 9 for consideration. This election to resubmit all 9 claims supersedes the provisional election made by Sofia McGuire on July 23, 2002.

Thank you for your consideration in this matter. Please do not hesitate to contact me at 713/942-7926 with any questions.

Sincerely,


Sofia McGuire

REPLY TO USPTO OFFICE ACTION SUMMARY OF JULY 31, 2002,
RE: APPLICATION NO. 09/853,190

Electi n/Restrictions

5

The applicant resubmits the original claim 9 for consideration as a species of the claim that is being submitted. The original claims 1-9 are clarified as follows in italics:

10

A new method for determining in-situ bulk tortuosity of the interconnected pores of reservoir rock, and estimating the bulk permeability of a reservoir formation between seismic transmitters and seismic receivers, such method comprising 1-7 below:

15

1. *Transmit a monofrequency signal generated by a seismic transmitter or seismic transmitters and received by a seismic receiver or seismic receivers.*

2. *Analyze the spectral content of the received signal.*

3. *Identify the side lobes of the monofrequency signal that was transmitted.*

20

4. *The frequency of the side lobes represents $(F - F_{drag})$ and $(F + F_{drag})$ where F is the monofrequency and F_{drag} is the frequency of the 'Drag Wave'. These side lobes are generated due to the elastic nonlinear interaction between the monofrequency wave traveling through the rock matrix and the 'Drag Wave' being generated due to the coupling between the matrix and pore fluids.*

25

5. *Calculate the velocity of the 'Drag Wave' V_{drag} by using the Doppler Effect in which $F_{drag}/F = V_{drag}/(V - V_{drag})$; where F_{drag} is the frequency of the 'Drag Wave' (see 4 above), F is the monofrequency, V_{drag} is the velocity of the 'Drag Wave' and V is the velocity of the monofrequency signal.*

30

6. *The bulk tortuosity of the inter-well reservoir rock formation can be estimated by: $V_{drag} = V_{fluid}/\sqrt{T}$, where V_{drag} is the velocity of the 'Drag Wave', T is tortuosity, and V_{fluid} is the compressional velocity of the pore fluids.*

35

7. *Once bulk tortuosity has been estimated, bulk permeability can be estimated using Scheidegger's equation $K = \phi r^2 / 8T$ or other equations generated by Kelder or Peeters.*

40

8. *The method of claims 1-7 specifically used to determine in-situ bulk tortuosity of the interconnected pores of reservoir rock, and estimating the bulk permeability of a reservoir formation connected between two wells.*

45

9. *The method of claims 1-7 specifically used to determine in-situ bulk tortuosity of the interconnected pores of reservoir rock, and estimating the bulk permeability of a reservoir formation in a well between two depth points in that well.*

BEST AVAILABLE COPY



TAWASSUL A. KHAN
C.E.O.

NONLINEAR SEISMIC IMAGING, INC.

3200 Southwest Freeway • Suite 2340 • Houston, Texas 77027
713.552.2727 • Fax: 713.521.2873
email: tkhan@houston.rr.com

Sent Via Facsimile

Number of Pages: 13 including cover sheet

TO: Toan M. Le, EXAMINER
Company: US Patent and Trade Office
Fax Number: 703/872-9318

CC:
Fax:

From: Sofia McGuire

Fax Number: 713/521-2873
Tel. Number: 713/552-2727

Date: 9/18/02 3:44:27 PM

RE: Application No. 09/853,190

FAX COPY RECEIVED

SEP 18 2002

TECHNOLOGY CENTER 2800

REMARKS:

Please see attached with changes based upon the Office Action Summary. A hard copy is being mailed today to the Commissioner for Patents. If you have any questions concerning this transmission or the application, please contact me directly at 713/942-7926. Thank you.

Sincerely, Sofia McGuire

Confidentiality Notice:

The following facsimile transmission may contain confidential and privileged information and is intended for the use of the specified recipient only. If you are NOT the addressee, you are hereby advised that any review, disclosure, copying, dissemination or other use of this transmission by persons other than the addressee is strictly prohibited. If you have received this transmission in error, please notify us IMMEDIATELY by telephone to arrange to return the original to us.

If you have any difficulties receiving this transmission, please call: 713/942-7926.